

# Allsteel®

Designed to work. Built to last.

## INTERNATIONAL PRICE LIST **2005**

prices effective February 6, 2005

# Casegoods

### **Metal Casegoods**

- Laterals
- Cupboards
- Bookcases

# Allsteel

## **The storage begins.**

Here's where it began. Allsteel invented the lateral file in 1967. Today you rely on its quality, convenience, capacity, and durability.

## **Integrated Storage Solutions!**

### **Uniting performance with personal preference!**

We believe that storage is more than just a container. It's a solution that integrates with the workspace and supports your workstyle.

- Software support packages furnished to the customer, either by Allsteel or by another source, which support the sale of Allsteel products are superseded by printed price lists.
- Prices are subject to change without notice. All orders are subject to prices in effect at the time of order.

- Ordering information appears at the bottom of each product page complete with examples on how to specify. Fabric and finish pages are referenced at the bottom of product pages.

*This pricer is also available in downloadable PDF format via the Allsteel International web site at [www.hniinternational.com](http://www.hniinternational.com).*

Table of Contents .....1

### METAL CASEGOODS

#### Laterals and Storage

Overview of Laterals and Storage .....2-4  
 Lateral File Comparisons .....5-7  
 Working with Lateral Files .....8  
 Lateral Files.....9-11  
 Multi-Unit Files .....12  
 Accessories for Lateral and Multi-Unit Files .....13  
 Cupboards .....14  
 Bookcases.....15

### APPENDIX

Locking Specifications .....16-17  
 Cross Reference Index.....18

### PAINT FINISHES

#### ● CORE COLORS – METAL CASEGOODS

Black.....P27  
 Cloud.....P06  
 Driftwood .....P01  
 Flint .....P02  
 Muslin.....P4J  
 Parchment .....P93  
 Tan .....PRZ  
 Warm Beige.....P05

#### M MICA COLORS

Gunmetal Mica .....PR3  
 Platinum Mica.....PR2  
 Tungsten Mica.....PR1

*Mica paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B – measurable aspects of color – values are maintained within a specified range, to ensure consistent appearance of paint colors.)*

#### ▲ ATTITUDE COLORS

Citrus Orange .....PAC  
 Fortuneberry .....PAF  
 Indigo .....PAG  
 Marigold.....PAM  
 Montpellier .....PAT  
 Regimental Red .....PAR

**NOTE:** Refer to individual product pages for upcharges.

#### PAINT COLOR INDICATORS

All product pages in this pricer reference the following symbols to indicate the colors in which the product is available.

- CORE COLORS
- M MICA COLORS
- ▲ ATTITUDE COLORS

# Laterals & Storage

## Overview of Laterals and Storage

**Storage is an essential part of the productive workplace.**

Make storage a matter of personal choice as well as necessity. Choose from features like stackable modules, paint finishes, and more. It's your workspace. Shouldn't it look like it?

### 1. Lateral file

The storage workhorse, in multiple heights and widths. Works with systems furniture or by itself.

### 3. Bookcase

Bookcases offer optimal storage for books and binders, and are completely modular with the storage products.

### 5. Stacking Modules

Allows for custom storage solutions that fit your needs. Build it special for your space.

### 7. Receding Door Units

Available in multiple heights and widths. Optional roll-out shelves make sure that no files are left in the dark!

### 2. Multi-Unit file


The perfect combination of file storage and shelf storage, with concealed shelves.

### 4. 2 Door Cupboards


Cupboards are the perfect solution to store and conceal, creating a refined workspace.

### 6. Half-drawer Modules


Ideal for storing media and small office essentials. A place for everything and everything in its place. A 6" high drawer neatly houses CDs and other small accessories with room to spare.




1




3




5




2



4




6



7

# Laterals & Storage

## Lateral Files with Drawers




**1-High**  
484mm H

800mm, 1000mm W




**2-High**  
699mm H

800mm, 1000mm W



**3-High**  
1016mm H

800mm, 1000mm W




**4-High**  
1330mm H

800mm, 1000mm W



**5-High**  
1646mm H

800mm, 1000mm W



**6-High**  
1961mm H


800mm, 1000mm W

## Lateral File Half-drawer Units



385mm H

800mm, 1000mm W



699mm H

800mm, 1000mm W

## Receding Door Units




**1-High**  
484mm H

800mm, 1000mm W



**2-High**  
699mm H

800mm, 1000mm W



**3-High**  
1016mm H

800mm, 1000mm W




**4-High**  
1330mm H

800mm, 1000mm W



**5-High**  
1646mm H

800mm, 1000mm W



**6-High**  
1961mm H



800mm, 1000mm W

# Laterals & Storage


## Overview of Laterals and Storage

### Interior Components for Lateral Files, Receding Drawer Units and Multi-Unit Files


Plate Dividers

Front-to-Back  
Folder Frames


Roll-out Shelf




Wire Dividers

Magnetic  
Dividers

### Multi-Unit Files with Drawers




**6-High Hinge Doors**  
2 Door Hinged  
4 Drawers  
1961mm H  
800mm, 1000mm W




**5-High Hinge Doors**  
2 Door Hinged  
3 Drawers  
1646mm H  
800mm, 1000mm W

### Multi-Unit Files with Receding Doors




**6-High Hinge Doors**  
2 Door Hinged  
2 Receding  
2 Drawers  
1961mm H  
800mm, 1000mm W



**5-High Hinge Doors**  
2 Door Hinged  
2 Receding  
1 Drawer  
1646mm H  
800mm, 1000mm W


### Cupboards — 2 Door

#### Storage



**Hinged Doors**  
2-, 2.5-, 3-, 4-, 5-, 6-High  
699mm, 857mm, 1016mm,  
1330mm, 1646mm,  
1964mm H  
800mm, 1000mm W


### Bookcases



**2-, 2.5-, 3-, 4-, 5-, 6-High**  
699mm, 857mm, 1016mm,  
1330mm, 1646mm,  
1964mm H  
800mm, 1000mm W

### Interior Components for Cupboards, Bookcases and Multi-Unit Files

Extra Shelf



800mm,  
1000mm W

Folder Bars



800mm,  
1000mm W

<b>Case Widths</b>	800mm, 1000mm
<b>Case Heights</b>	1-High – 484mm 2-High – 699mm 3-High – 1016mm 4-High – 1330mm 5-High – 1646mm 6-High – 1961mm
<b>Case Depth</b>	487mm
<b>Pull Styles</b>	I – Integral
<b>Lock Options:</b>	
Lock	Standard
Omit Lock Core	Optional
Master Keyed Lock	Standard
Removable Lock Core	Yes – With Special Key
Dual-Side Locking	Yes
<b>Suspension</b>	Extra Heavy Duty Telescoping steel ball bearing slide
<b>Drawer Interlock</b>	Double (Slide Integrated)
<b>Enclosed Bottom</b>	Yes
<b>Hex-head Glide (for easy Inside File Leveling)</b>	Yes (1.5" Range)
<b>Counterweights</b>	As Required
<b>Drawer Interiors:</b>	
Drawers	6", 12", 16"
Fixed Shelf	12", 16"
<b>Top Drawer in Recessed Door Models</b>	16" Fixed shelf with receding door (1-High only) or 12" Fixed shelf with receding door
<b>Side-to-Side Filing</b>	Standard
<b>Filing Options</b>	Letter, Legal, A4, Foolscap
<b>Adjustable Back (to accommodate paper sizes filed side-to-side)</b>	12", 16" Shelves: Letter, A4 and Legal
<b>Fixed Shelves</b>	25mm thick, non-adjustable, punched for wire dividers at 50mm increments
<b>Stacking Capability</b>	Stack components to 6-High; Cupboards stack only on laterals

### ANSI/BIFMA Standards

Allsteel lateral files, meet or exceed the applicable ANSI/BIFMA Lateral File Test Standards X5.2-1997 and British Standards BS4875-7:1998 (Durability), BS4875-8:1998 (Stability) and BS5459-3.

### Inside File Clearance Dimensions for Shelves and Drawers — Lateral Files

	6" Height	12" Height	16" Height	Width		Max. Depth
				800mm	1000mm	
Fixed Shelf*	—	270mm	370mm	727mm	927mm	450mm
Roll-out Shelf*	—	270mm	370mm	727mm	927mm	400mm
Standard Drawer	133mm	285mm	385mm	727mm	927mm	412mm

\* Fixed Shelf and Roll-out Drawer dimensions are based on door front of shelf in the retracted position (open).

SHADED BOX INDICATES  
MAXIMUM LINEAR STORAGE


LATERAL FILE WIDTH

800mm W


1000mm W

### Front-to-Back Filing — outside tabs of folders rest on drawer sides

A4 Suspension File  
(235mm H x 320mm D)




Filing Volume:  
824mm\*




Filing Volume:  
824mm

Foolscap Suspension File  
(240mm H x 360mm D)




Filing Volume:  
412mm




Filing Volume:  
824mm

### Side-to-Side Filing

A4




Filing Volume: 727mm




Filing Volume: 927mm

Foolscap



Filing Volume: 727mm




Filing Volume: 927mm

\*with front-to-back hanging rails

# Laterals

## Working with Lateral Files

**Inset Drawer Style** — Drawers are inset inside the case.



487mm Deep

### Dual-side Locking

Drawers and doors lock on both sides to prevent being pried open. The locking system is enclosed within the case to hide mechanisms which can snag and scratch. This feature is not found on most other manufacturers' files.

### Dual Interlock

This mechanism inhibits roll out of more than one drawer or shelf, either sequentially or simultaneously.

### Offset Construction

As a result of the back and the top of the case sides being offset, the file case has a finished appearance with smooth seams and no overlaps.

### Fully Enclosed Bottom


Unlike many files, the Allsteel lateral file features a fully enclosed steel bottom to help prevent moisture and dust from affecting the filed documents. Double bottoms are welded into all files for added rigidity.

### Hanging Frames

Side-to-side are both standard. For front-to-back filing, backs should be set on rear position for maximum storage capacity.

### Four Hex-head Leveling Glides

Leveling glides can be adjusted from outside or inside the case. Because of the hex-head design of the stem, leveling can be done even when the file is fully loaded. Range is 1½" (38mm).



### Adjustable Drawer

Adjustable drawer and shelf backs in 12" and 16" high openings are adjustable to accommodate A4 and foolscap documents side-to-side without extra components.

### Counterweights

Counterweights are included and factory installed as required.

### Suspension

Extra heavy-duty, telescoping, ball-bearing slides.

### Ball-bearing Receding Door Slide

Heavy-duty ball-bearing slide with European hinge has ball bearings. Provides quiet, smooth, effortless operation of the receding door.

### Core Removable Lock

Core removable lock feature allows key numbers to be easily changed in the field. It also facilitates installation.

### Omit Lock Core

Files can be shipped with lock cores removed; cores can then be installed after files are placed. Laterals can be keyed alike with pedestals and overhead cabinets.

### Drawer Front Construction

Drawer fronts are lined to reduce noise and to prevent damage from drawer contents.

### Drawer Interiors

Painted same color as case.

### Paint Finish

Durable baked enamel finish is applied over rust-inhibiting phosphate pre-treatment.

### Stacking

Modules can be stacked on one another for a customized offering.

### Ball Bearing Drawer Slides

Heavy duty ball bearing slides are smooth and quiet regardless of the weight of its contents.

## Stacking Modules


No extra hardware required. Stacked modules utilize glides to secure cases together.




**Stack Up To 6-High**  
(Do Not Exceed 6-High)




**DO NOT Stack**  
Lateral Models on  
Storage Modules



**Storage Cabinets Only**  
Stack On Lateral Files



**Customize**  
Cupboard  
1-High Receding  
2-High Lateral File



**Hoteling** — Stack 1-high  
laterals for separated security  
using individually keyed locks  
on each module

# Laterals


## Lateral Files With Drawers

- Integral pull in same color as case.
- All files are 487mm deep.
- For locking specifications, see pages 16-17.
- See page 13 for Lateral File Accessories.
- Meets or exceeds ANSI/BIFMA and BS4875 Part 7 & 8:1998.
- Modules can stack to a maximum of 6 openings high.
- Ship weights are in kilograms.
- List prices are in \$USD.





For specification details refer to:  
Overview of Laterals and Storage, page 2

### Note

Counterweights are included and factory installed as required.



I  
Integral Pull

	Exterior Width	Model	Ship Weight (kg)	Cubic Feet	List Price \$USD	Mica Paint List Price \$USD
	<b>1-High</b> – 484mm high, one 16" drawer with hanging frames side-to-side					
	800mm	<b>XLFD108</b>	30.4	7.6	<b>\$ 567</b>	<b>\$ 623</b>
	1000mm	<b>XLFD110</b>	30.8	9.4	<b>\$ 630</b>	<b>\$ 692</b>
	<b>2-High</b> – 699mm high, two 12" drawers with hanging frames side-to-side					
	800mm	<b>XLFD208</b>	49.9	10.8	<b>\$ 762</b>	<b>\$ 838</b>
	1000mm	<b>XLFD210</b>	56.7	13.4	<b>\$ 813</b>	<b>\$ 895</b>
	<b>3-High</b> – 1016mm high, three 12" drawers with hanging frames side-to-side					
	800mm	<b>XLFD308</b>	71.7	15.5	<b>\$ 977</b>	<b>\$1074</b>
	1000mm	<b>XLFD310</b>	79.8	19.3	<b>\$1020</b>	<b>\$1122</b>
	<b>4-High</b> – 1330mm high, four 12" drawers with hanging frames side-to-side					
	800mm	<b>XLFD408</b>	94.3	20.2	<b>\$1184</b>	<b>\$1302</b>
	1000mm	<b>XLFD410</b>	104.3	25.1	<b>\$1222</b>	<b>\$1344</b>

### How to specify

### Lateral Files

<p>Select the Model Number from above.</p> <p><b>XLFD</b>        </p>	<p><i>1st Option:</i></p> <p><b>Pull:</b></p> <p>I Integral</p> <p><b>I</b>   .</p>	<p><i>2nd Option:</i></p> <p><b>Paint:</b></p> <p>☉ M ▲ See inside front cover for finishes.</p> <p><b>P</b>     .</p>	<p><i>3rd Option:</i></p> <p><b>Lock Type:</b></p> <p>STD Standard — Random Keyed OMT Omit Lock Core (Deduct \$14)</p> <p>       </p>
---	---	--	---

Example: XLFD108I.P27.STD

# Laterals

## Lateral Files


### With Drawers

- For locking specifications, see pages 16-17.
- See page 13 for Lateral File Accessories.
- Ship weights are in kilograms.
- List prices are in \$USD.


For specification details refer to:  
Overview of Laterals and Storage, page 2

#### Note


Counterweights are included and factory installed as required.




I  
Integral Pull




Exterior Width	Model	Ship Weight (kg)	Cubic Feet	List Price \$USD	Mica Paint List Price \$USD
<b>5-High</b> – 1646mm high, top opening is 12" fixed shelf w/receding door, balance is 12" standard lateral file drawers with hanging frames side-to-side					
800mm	<b>XLFD508</b>	123.4	24.9	<b>\$1241</b>	<b>\$1364</b>
1000mm	<b>XLFD510</b>	132.9	31.0	<b>\$1310</b>	<b>\$1440</b>



<b>6-High</b> – 1961mm high, two top openings are 12" fixed shelf w/receding door, balance is 12" standard lateral file drawers with hanging frames side-to-side					
800mm	<b>XLFD608</b>	148.1	29.6	<b>\$1574</b>	<b>\$1731</b>
1000mm	<b>XLFD610</b>	159.5	36.8	<b>\$1675</b>	<b>\$1843</b>



<b>Half-Drawer Unit — 1-High, 2 Drawers</b> – 385mm high, two 6" drawers					
800mm	<b>XLFDH208</b>	31.3	6.1	<b>\$ 692</b>	<b>\$ 764</b>
1000mm	<b>XLFDH210</b>	37.2	7.6	<b>\$ 755</b>	<b>\$ 838</b>



<b>Half-Drawer Unit — 2-High, 4 Drawers</b> – 699mm high, four 6" drawers					
800mm	<b>XLFDH408</b>	52.6	10.8	<b>\$1070</b>	<b>\$1178</b>
1000mm	<b>XLFDH410</b>	61.7	13.4	<b>\$1133</b>	<b>\$1251</b>

#### How to specify

### Lateral Files

	1st Option:	2nd Option:	3rd Option:
Select the Model Number from above.	<b>Pull:</b> I Integral	<b>Paint:</b> C M A See inside front cover for finishes.	<b>Lock Type:</b> STD Standard — Random Keyed OMT Omit Lock Core (Deduct \$14)
<b>X L F D</b>	<b>I</b> .	<b>P</b>       .	

Example: XLFD508I.P27.STD

# Laterals


## Lateral Files With Recessed Doors

- Integral pull in same color as case.
- For locking specifications, see pages 16-17.
- For Lateral File Accessories, see page 13.
- All files are 487mm deep.
- Meets or exceeds ANSI/BIFMA and BS4875 Part 7 & 8:1998.
- Ship weights are in kilograms.
- List prices are in \$USD.




### Note

Counterweights are included and factory installed as required.

For specification details refer to:  
Overview of Laterals and Storage, page 2



I  
Integral Pull

	Exterior Width	Model	Ship Weight (kg)	Cubic Feet	List Price \$USD	Mica Paint List Price \$USD
	<b>1-High</b> — 484mm high; one 16" fixed shelf w/receding door					
	800mm	<b>XLFS108</b>	30.4	7.6	<b>\$ 536</b>	<b>\$ 594</b>
	1000mm	<b>XLFS110</b>	30.8	9.4	<b>\$ 611</b>	<b>\$ 672</b>
	<b>2-High</b> — 699mm high; top opening is 12" fixed shelf w/receding door, bottom is 12" standard lateral file drawer with hanging frames side-to-side					
	800mm	<b>XLFS208</b>	49.9	10.8	<b>\$ 743</b>	<b>\$ 817</b>
	1000mm	<b>XLFS210</b>	56.7	13.4	<b>\$ 800</b>	<b>\$ 881</b>
	<b>3-High</b> — 1016mm high; top two openings are 12" fixed shelf w/receding door, bottom is 12" standard lateral file drawer with hanging frames side-to-side					
	800mm	<b>XLFS308</b>	71.7	15.5	<b>\$ 951</b>	<b>\$1046</b>
	1000mm	<b>XLFS310</b>	79.8	19.3	<b>\$ 995</b>	<b>\$1095</b>
	<b>4-High</b> — 1330mm high; top three openings are 12" fixed shelf w/receding door, bottom is 12" standard lateral file drawer with hanging frames side-to-side					
	800mm	<b>XLFS408</b>	94.3	20.2	<b>\$1168</b>	<b>\$1286</b>
	1000mm	<b>XLFS410</b>	104.3	25.1	<b>\$1196</b>	<b>\$1317</b>
	<b>5-High</b> — 1646mm high; top four openings are 12" fixed shelf w/receding door, bottom is 12" standard lateral file drawer with hanging frames side-to-side					
	800mm	<b>XLFS508</b>	123.4	24.9	<b>\$1222</b>	<b>\$1344</b>
	1000mm	<b>XLFS510</b>	132.9	31.0	<b>\$1291</b>	<b>\$1420</b>
	<b>6-High</b> — 1961mm high; top five openings are 12" fixed shelf w/receding door, bottom is 12" standard lateral file drawers with hanging frames side-to-side					
	800mm	<b>XLFS608</b>	147.9	29.6	<b>\$1549</b>	<b>\$1703</b>
	1000mm	<b>XLFS610</b>	159.9	36.8	<b>\$1650</b>	<b>\$1815</b>

### How to specify

### Lateral Files

<p>Select the Model Number from above.</p> <p><b>X L F S</b>        </p>	<p><i>1st Option:</i></p> <p><b>Pull:</b></p> <p>I Integral</p> <p>  .</p>	<p><i>2nd Option:</i></p> <p><b>Paint:</b></p> <p>ⓐ Ⓜ ⓐ See inside front cover for finishes.</p> <p><b>P</b>       .</p>	<p><i>3rd Option:</i></p> <p><b>Lock Option:</b></p> <p>STD Standard — Random Keyed OMT Omit Lock Core (Deduct \$14)</p> <p>       </p>
--	--	--	---

Example: XLFS108I.P27.STD


- Integral pull in same color as case.
- Hinged doors available in integral pull only.
- Shelf storage and lateral filing in a single cabinet.
- All files are 487mm deep.
- Shelves adjust on 50mm increments.
- Drawers lock independently from doors.
- See page 13 for Lateral File Accessories.
- Additional shelves available — see page 13.
- For locking specifications, see pages 16-17.

- Core removable lock standard on drawers.
- Ship weights are in kilograms.
- List prices are in \$USD.
- Meets or exceeds ANSI/BIFMA and BS4875 Part 7 & 8:1998 and BS5459-3.

**For specification details refer to:**  
**Overview of Laterals and Storage, page 2**

**Note**


Counterweights are included and factory installed as required.



I  
Integral Pull

Exterior Width	Model	Ship Weight (kg)	Cubic Feet	List Price \$USD	Mica Paint List Price \$USD
<b>5-High Hinged Doors/Drawers</b> — 1646mm high, top opening has hinged doors w/full height integral pull and plunger lock; features one adjustable shelf; three 12" drawers at base with hanging frames side-to-side					
800mm	XCFD508H	108	24.9	<b>\$1355</b>	<b>\$1489</b>
1000mm	XCFD510H	121.6	30.9	<b>\$1486</b>	<b>\$1635</b>

<b>5-High Hinged Doors/Receding Doors</b> — 1646mm high, top opening has hinged doors with full-height integral pull and plunger lock; features one adjustable shelf; two fixed shelf w/receding doors; one 12" drawers at base with hanging frames side-to-side					
800mm	XCF508H	108	24.9	<b>\$1342</b>	<b>\$1476</b>
1000mm	XCF510H	121.6	30.9	<b>\$1461</b>	<b>\$1607</b>



<b>6-High Hinged Doors/Drawers</b> — 1961mm high, top opening has hinged doors with full-height integral pull and plunger lock; features one adjustable shelf; four 12" drawers at base with hanging frames side-to-side					
800mm	XCFD608H	132.6	29.6	<b>\$1587</b>	<b>\$1746</b>
1000mm	XCFD610H	148.1	36.8	<b>\$1669</b>	<b>\$1836</b>

<b>6-High Hinged Doors/Receding Doors</b> — 1961mm high, top opening has hinged doors with full-height integral pull and plunger lock; features one adjustable shelf; two fixed shelf w/receding doors; two 12" drawers at base with hanging frames side-to-side					
800mm	XCF5608H	132.6	29.6	<b>\$1569</b>	<b>\$1725</b>
1000mm	XCF5610H	148.1	36.8	<b>\$1656</b>	<b>\$1822</b>

*How to specify*

## Multi-Unit Files

<p>Select the Model Number from above.</p> <p><b>XCFD</b>        </p>	<p><i>1st Option:</i></p> <p><b>Pull:</b></p> <p>I Integral</p> <p><b>I</b>  </p>	<p><i>2nd Option:</i></p> <p><b>Paint:</b></p> <p>☉ M A See inside front cover for finishes.</p> <p><b>P</b>       .</p>	<p><i>3rd Option:</i></p> <p><b>Lock Type:</b></p> <p>STD Standard — Random Keyed                      OMT Omit Lock Core (Deduct \$14)</p> <p>       </p>
---	---	--	--

Example: XCFD508I.P27.STD



# Storage

## Two Door Cupboards

- Available in six heights from 699mm to 1961mm and two widths — 800mm and 1000mm.
- All units case dimensions are 487mm deep.
- Inside shelf dimension depth is 457mm deep.
- Inside shelves adjust in 50mm increments.
- Meets or exceeds ANSI/BIFMA, BS4875 Part 7 & 8 and BS5459 Part 3 performance standards.
- Two wire dividers are standard per shelf.
- Wire dividers are adjustable in 50mm increments.
- Shelves are 2.5mm thick.
- Cabinet heights match up to lateral file cases.
- Doors have full length integral pulls.
- For locking specifications, see pages 16-17.
- Ship weights are in kilograms.
- List prices are in \$USD.

Description	Height	Model	Number of Adj. Shelves	Ship Weight (kg)	Cubic Feet	List Price \$USD	Mica Paint List Price \$USD
<b>Cupboards — 800mm W x 487mm D</b>							
2H	699mm	XSC208	1	36.3	10.8	\$ 724	\$ 797
2.5H	857mm	XSC2508	2	45.4	13.2	\$ 755	\$ 832
3H	1016mm	XSC308	3	49.4	15.5	\$ 844	\$ 929
4H	1330mm	XSC408	3	64.0	20.2	\$1008	\$1108
5H	1646mm	XSC508	4	78.0	24.9	\$1096	\$1206
6H	1961mm	XSC608	5	93.6	29.6	\$1204	\$1323

### Cupboards — 1000mm W x 487mm D

2H	699mm	XSC210	1	41.3	13.4	\$ 775	\$ 853
2.5H	857mm	XSC2510	1	51.6	16.3	\$ 806	\$ 886
3H	1016mm	XSC310	2	56.2	19.3	\$ 894	\$ 983
4H	1330mm	XSC410	3	70.8	24.1	\$1058	\$1163
5H	1646mm	XSC510	4	87.1	31.0	\$1146	\$1260
6H	1961mm	XSC610	5	104.5	36.8	\$1254	\$1378

### Extra Shelves — 25mm High x 445mm Deep (for cupboards, bookcases and multi-unit files); Specify finish

Package of one	800mm	XSH08	N/A	5.4	1.1	\$ 58	\$ 64
Package of one	1000mm	XSH10	N/A	5.9	1.3	\$ 63	\$ 70




### Folder Bars (A4) (installs below adjustable shelves in cupboards and bookcases); Black only

Package of four	800mm	XSCA-FB08		1.4	0.1	\$ 48	—
Package of four	1000mm	XSCA-F10		1.8	0.1	\$ 56	—

**NOTE:** Rail adjusts: range = 275-330mm)

### Wire Divider (for use in cupboards and bookcases); Zinc plated

Package of 6		XLFA-WD		1.4	0.1	\$ 28	—
--------------	--	---------	--	-----	-----	-------	---



### How to specify

## Two-Door Cupboards

<p>Select the Model Number from above.</p> <p>X               .</p>	<p>1st Option:</p> <p><b>Paint:</b></p> <p>☉ M A</p> <p>See inside front cover for finishes.</p> <p>P        </p>	<p>2nd Option:</p> <p><b>Lock Type:</b></p> <p>STD Standard — Random Keyed</p> <p>OMT Omit Lock Core (Deduct \$14)</p> <p>       </p>
---	---	---


Examples: XSC208.P27.STD

XSH08.P27


XSCA-FB08

- Available in six heights from 699mm to 1961mm and two widths — 800mm and 1000mm.
- All units case dimensions are 487mm deep.
- Inside shelf dimension depth is 457mm deep.
- Inside shelves adjust in 50mm increments.
- Meets or exceeds ANSI/BIFMA, BS4875 Part 7 & 8 and BS5459 Part 3 performance standards.
- Shelves are 25mm thick.
- Cabinet heights match up to lateral file cases.
- Wire dividers are adjustable in 50mm increments.
- Ship weights are in kilograms.
- List prices are in \$USD.


Description	Height	Model	Number of Adj. Shelves	Ship Weight (kg)	Cubic Feet	List Price \$USD	Mica Paint List Price \$USD
<b>Open Bookcases — 800mm W x 487mm D</b>							
2H	699mm	XBC208	1	29.5	10.8	\$ 410	\$ 450
2.5H	857mm	XBC2508	1	36.9	13.2	\$ 447	\$ 492
3H	1016mm	XBC308	2	39.0	15.5	\$ 529	\$ 582
4H	1330mm	XBC408	3	49.9	20.2	\$ 655	\$ 720
5H	1646mm	XBC508	4	59.9	24.9	\$ 787	\$ 866
6H	1961mm	XBC608	5	71.9	29.6	\$ 882	\$ 969



<b>Bookcases — 1000mm W x 487mm D</b>							
2H	699mm	XBC210	1	34.5	13.4	\$ 478	\$ 526
2.5H	857mm	XBC2510	1	43.1	16.3	\$ 504	\$ 554
3H	1016mm	XBC310	2	45.8	19.3	\$ 579	\$ 638
4H	1330mm	XBC410	3	55.8	25.1	\$ 718	\$ 790
5H	1646mm	XBC510	4	68.0	31.0	\$ 850	\$ 935
6H	1961mm	XBC610	5	81.6	36.8	\$1008	\$1108



<b>Extra Shelves — 25mm High x 445mm Deep (for use in bookcases and cupboards); Specify finish</b>							
Package of one	800mm	XSH08	N/A	5.4	0.7	\$ 58	\$ 64
Package of one	1000mm	XSH10	N/A	5.9	0.85	\$ 63	\$ 70



<b>Folder Bars (A4) (installs below adjustable shelves in cupboards and bookcases); Black only</b>							
Package of one	800mm	XSCA-FB08		1.4	0.1	\$ 48	—
Package of one	1000mm	XSCA-F10		1.8	0.1	\$ 56	—



<b>Wire Divider (for use in cupboards and bookcases); Zinc plated</b>							
Package of 6		XLFA-WD		0.5	0.2	\$ 28	—





### How to specify

### Bookcases

<p>Select the Model Number from above.</p> <p><b>X</b>           .</p>	<p><i>1st Option:</i></p> <p><b>Paint:</b></p> <p> <input checked="" type="radio"/> C                 <input checked="" type="radio"/> M                 <input checked="" type="radio"/> A             </p> <p>See inside front cover for finishes.</p> <p><b>P</b>      </p>
--	--

Examples: XBC208.P27 XSH08.P27 XLFA-WD

- Ship weights are in kilograms.
- List prices are in \$USD.

Description	Model	Ship Weight (kg)	Cubic Feet	Freight Class	List Price \$USD
 <b>Brushed Chrome Removable Lock Core Kit</b>	<b>Key Numbers 101E-225E</b>				
	Used on metal casegoods product produced after 2/3/97 and H280 and H290 Series Vertical Files produced after 4/5/98. Includes one core, two keys, one core removal tool, adapter and instructions				
	<b>LKF23C</b>	0.04 	0.1	70	<b>\$ 14</b>
<b>NOTE:</b> Core matches manufactured lock on metal casegoods product but can be used with veneer and laminate product.					
 <b>Master Key</b>					
	(One key) Available to authorized dealers only on faxed orders. Will open LKF23C and LKF24 locks numbered 101E-225E.				
	<b>MKF22</b>	0.04 	0.1	70	<b>\$ 6</b>

### HOW TO ORDER:

**NOTE:** Numbers 101E-225E are available. Orders without numbers specified will be keyed at random.

#### SAMPLE ORDER:

Quantity	Model	Color
6	LKF23C	X121E
1	MKF22	X

### Laterals and Storage

#### Standard Options

- **Random Keying** — The factory will assign key(s) arbitrarily using key numbers from chart below.
- **Omit Lock Core** — The factory will omit lock cores. Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.

#### Replacing Lock Cores

- Lock must be in the unlocked position.
- Insert core removal key and pull core straight out.
- Insert new core with core removable key, hold core into lock and withdraw core removal key.
- Retain original core for future use.

Laterals

Storage

METAL CASEGOODS

APPENDIX

	Random Keying	Omit Lock Core	Key Numbers	Removable Lock Core Kit	Master Key
Laterals	X	X	101E-225E	LKF23C	MKF22
Half Drawer Units	X	X	101E-225E	LKF23C	MKF22
Receding Door Units	X	X	101E-225E	LKF23C	MKF22
Cupboards	X	X	101E-225E	LKF23C	MKF22
Combination Files	X	X	101E-225E	LKF23C	MKF22

# Cross Reference Index

by Model Number

Laterals

Storage

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
LKF23C.....	16	XSC610.....	14						
MKF22.....	16	XSCA-F10.....	14, 15						
XBC208.....	15	XSCA-FB08.....	14, 15						
XBC210.....	15	XSH08.....	13, 14, 15						
XBC2508.....	15	XSH10.....	14, 15						
XBC2510.....	15								
XBC308.....	15								
XBC310.....	15								
XBC408.....	15								
XBC410.....	15								
XBC508.....	15								
XBC510.....	15								
XBC608.....	15								
XBC610.....	15								
XCFD508H.....	12								
XCFD510H.....	12								
XCFD608H.....	12								
XCFD610H.....	12								
XCFS508H.....	12								
XCFS510H.....	12								
XCFS608H.....	12								
XCFS610H.....	12								
XHS10.....	13								
XLFA-DIV06.....	13								
XLFA-DIV12.....	13								
XLFA-FB.....	13								
XLFA-MD45.....	13								
XLFA-MD90.....	13								
XLFA-R508.....	13								
XLFA-R510.....	13								
XLFA-WD.....	13, 14, 15								
XLFD108.....	9								
XLFD110.....	9								
XLFD208.....	9								
XLFD210.....	9								
XLFD308.....	9								
XLFD310.....	9								
XLFD408.....	9								
XLFD410.....	9								
XLFD508.....	10								
XLFD510.....	10								
XLFD608.....	10								
XLFD610.....	10								
XLFS108.....	11								
XLFS110.....	11								
XLFS208.....	11								
XLFS210.....	11								
XLFS308.....	11								
XLFS310.....	11								
XLFS408.....	11								
XLFS410.....	11								
XLFS508.....	11								
XLFS510.....	11								
XLFS608.....	11								
XLFS610.....	11								
XSC208.....	14								
XSC210.....	14								
XSC2508.....	14								
XSC2510.....	14								
XSC308.....	14								
XSC310.....	14								
XSC408.....	14								
XSC410.....	14								
XSC508.....	14								
XSC510.....	14								
XSC608.....	14								

# Lifetime Warranty

**Allsteel warrants its products to be free from defects in material and workmanship for as long as the original purchaser owns them.**

Allsteel will repair or replace with comparable product, free of charge, any Allsteel product or component manufactured after June 6, 2004 that fails under normal commercial office use.

**This warranty is subject to the following provisions:**

Some natural variations occurring in wood, leather, or other natural materials are inherent to their character and not considered defects. Allsteel does not warrant the colorfastness or matching of colors, grains, or textures of these materials. Additionally, a Customer's Own Material (COM) selected by, and used at the request of, a user is not warranted.

Normal commercial office use for seating is defined as the equivalent of a single-shift, forty (40) hour workweek. Except for Allsteel's 24-hour Trooper® models, which are warranted for multiple shifts, the appropriate warranty period for other Allsteel seating product used in excess of a single-shift, forty (40) hour workweek will be pro-rated.

**The materials and components listed below are covered according to the following schedule from the date of sale:**

- Synchrony™ wood products and electrical components (lamps and ballasts are not covered) — Twelve Years.
- Seating controls, wood seating, glides, pneumatic cylinders, casters and polymer-based components, stacking chairs, foam, and Sum™ AutoFit™ — Ten Years.
- User-adjustable worksurface mechanisms, panel and seating upholstery fabrics, laminates, veneer finishes (other than Synchrony), and other covering materials — Five Years.

**This warranty does not apply to:**

- Normal wear and tear over the course of ownership.
- Modifications or attachments to the product not approved by Allsteel.
- Products not installed, used, or maintained in accordance with product instructions and warnings.
- Products used for rental purposes.
- Damage caused by the carrier in-transit, which is handled under separate terms.

**To the extent allowed by law, Allsteel makes no other warranty, either express or implied, including any warranty of merchantability or fitness for a particular purpose. Allsteel will not be liable for any consequential or incidental damages.**

This warranty applies only to products sold within the United States of America and the Commonwealth of Canada. Your Allsteel Dealer is our mutual partner in supporting your warranty requests. To obtain service under this warranty please contact your Allsteel Dealer.

**Resource Centers**

Chicago  
Dallas  
New York  
Los Angeles  
Mexico City, Mexico — a partnership showroom  
Monterrey, Mexico  
Montreal — a partnership showroom  
San Francisco  
Washington, DC

**International Partnership Showrooms**

Abu Dhabi, United American Emirates (UAE)  
Bangkok, Thailand  
Caracas, Venezuela  
Dublin, Ireland  
Guatemala City, Guatemala  
London, UK  
Nassau, Bahamas  
Port of Spain, Trinidad  
Riyadh, Saudi Arabia  
San Juan, Puerto Rico  
San Salvador, El Salvador  
Santiago, Chile  
Singapore

# Allsteel®

Designed to work. Built to last.

Allsteel Inc.  
Muscatine, Iowa 52761-5257  
[allsteeloffice.com](http://allsteeloffice.com)

©2005 Allsteel Inc.  
Allsteel, Express Solutions and  
Samba are registered trademarks  
and Essentials, Persona and  
Synchrony are trademarks.